

PL-12

SECTION 1. IDENTIFICATION

Product Identifier	PL-12
Other Means of Identification	High pH Presoak - Unscented - Orange
Recommended Use	Used as presoak in touchless carwash applications.
Restrictions on Use	None known.
Manufacturer / Supplier	Transchem Inc., 1225 Franklin Blvd, Cambridge, ON, N1R 7E5, 1-800-265-9100, www.transchem.com
Emergency Phone No.	CANUTEC (Canada), 613-996-6666, 24 Hours INFOTRAC (U.S.), 1-800-535-5053, 24 Hours
SDS No.	Ver. 2 (July 4, 2017)
Date of Preparation	June 01, 2015

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Skin corrosion/irritation - Category 1C; Serious eye damage/eye irritation - Category 1

GHS Label Elements



Signal Word:

Danger

Hazard Statement(s):

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

Prevention:

P260 Do not breathe dusts or mists.

P264 Wash hands and skin thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response:

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P363 Wash contaminated clothing before reuse.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTRE/doctor.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/container in accordance with local, regional, national and international regulations.

Other Hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	%	Other Identifiers
Tetrasodium EDTA	64-02-8	3-7	N/A
Sodium Metasilicate	6834-92-0	3-7	N/A
Alcohols, C9-11, ethoxylated, liquids	68439-46-3	3-7	Alcohol Exthoxylate
Alkyl Dimethylamine Oxide	1643-20-5	1-5	N/A
Sodium hydroxide	1310-73-2	1-3	Caustic Soda
Potassium hydroxide	1310-58-3	1-3	Caustic Potash

Notes

The specific chemical identity and/or exact percentage of composition (concentration) has been withheld as a trade secret.

SECTION 4. FIRST-AID MEASURES

First-aid Measures

Inhalation

Move to fresh air. Get medical advice/attention if you feel unwell or are concerned.

Skin Contact

Take off contaminated clothing, shoes and leather goods (e.g. watchbands, belts). Immediately rinse with lukewarm, gently flowing water for 15-20 minutes. If skin irritation occurs get medical advice/attention. Clean clothing, shoes and leather goods.

Eye Contact

Immediately rinse the contaminated eye(s) with lukewarm, gently flowing water for 15-20 minutes, while holding the eyelid(s) open. Remove contact lenses, if present and easy to do. Immediately call a Poison Centre or doctor.

Ingestion

Never give anything by mouth if victim is rapidly losing consciousness, or is unconscious or convulsing. Do not induce vomiting. Rinse mouth with water. Drink one glass of water. Immediately call a Poison Centre or doctor.

Most Important Symptoms and Effects, Acute and Delayed

If on skin: may cause moderate to severe irritation. If in eyes: may cause moderate to severe irritation. Symptoms include pain, redness, and swelling.

Immediate Medical Attention and Special Treatment

Target Organs

Eyes, skin.

Special Instructions

Rinse affected area (skin, eyes) thoroughly with water.

Medical Conditions Aggravated by Exposure

None known.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

Not combustible. Use extinguishing agent suitable for surrounding fire.

Unsuitable Extinguishing Media

None known.

Specific Hazards Arising from the Chemical

Does not burn.

Special Protective Equipment and Precautions for Fire-fighters

Review Section 6 (Accidental Release Measures) for important information on responding to leaks/spills.

See Skin Protection in Section 8 (Exposure Controls/Personal Protection) for advice on suitable chemical protective materials.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures

Use the personal protective equipment recommended in Section 8 of this safety data sheet.

Environmental Precautions

Concentrated product: it is good practice to prevent releases into the environment. Do not allow into any sewer, on the ground or into any waterway.

Methods and Materials for Containment and Cleaning Up

Review Section 7 (Handling) of this safety data sheet before proceeding with clean-up.

Small spills or leaks: contain and soak up spill with absorbent that does not react with spilled product. Place used absorbent into suitable, covered, labelled containers for disposal.

Large spills or leaks: dike spilled product to prevent runoff.

Review Section 13 (Disposal Considerations) of this safety data sheet. Contact emergency services and manufacturer/supplier for advice.

Other Information

Report spills to local health, safety and environmental authorities, as required.

SECTION 7. HANDLING AND STORAGE

Precautions for Safe Handling

Wear personal protective equipment to avoid direct contact with this chemical. See Section 13 (Disposal Considerations) of this safety data sheet.

Conditions for Safe Storage

Store in closed container. Separate from incompatible materials (see Section 10: Stability and Reactivity). Comply with all applicable health and safety regulations, fire and building codes.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Chemical Name	ACGIH TLV®		OSHA PEL		AIHA WEEL	
	TWA	STEL	TWA	Ceiling	8-hr TWA	TWA
Sodium hydroxide		2 mg/m ³ C	2 mg/m ³			
Potassium hydroxide	2 mg/m ³					

Appropriate Engineering Controls

General ventilation is usually adequate. Provide eyewash and safety shower if contact or splash hazard exists.

Individual Protection Measures

Eye/Face Protection

Wear chemical safety goggles and face shield when contact is possible.

Skin Protection

Wear chemical protective clothing e.g. gloves, aprons, boots.

Suitable materials are: polyvinyl chloride, latex rubber, neoprene rubber.

Respiratory Protection

Not normally required if product is used as directed.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Basic Physical and Chemical Properties

Appearance	Orange liquid.
Odour	Mild
Odour Threshold	Not available
pH	13.0 - 13.6
Melting Point/Freezing Point	Not available (melting); Not available (freezing)
Initial Boiling Point/Range	100 °C (212 °F)
Flash Point	Not applicable

Product Identifier: PL-12
SDS No.: Ver. 2 (July 4, 2017)
Date of Preparation: June 01, 2015

Evaporation Rate	Not available
Flammability (solid, gas)	Not available
Upper/Lower Flammability or Explosive Limit	Not applicable (upper); Not applicable (lower)
Vapour Pressure	Not applicable
Vapour Density (air = 1)	~ 1
Relative Density (water = 1)	1.11
Solubility	Soluble in water
Partition Coefficient, n-Octanol/Water (Log Kow)	Not available
Auto-ignition Temperature	Not available
Decomposition Temperature	Not available
Viscosity	Not available (kinematic)
Other Information	
Physical State	Liquid

SECTION 10. STABILITY AND REACTIVITY

Reactivity

None known.

Chemical Stability

Normally stable.

Possibility of Hazardous Reactions

None known.

Conditions to Avoid

Incompatible materials.

Incompatible Materials

Strong oxidizing agents (e.g. perchloric acid).

Hazardous Decomposition Products

None known.

SECTION 11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure

Inhalation; skin contact; eye contact; ingestion.

Acute Toxicity

Chemical Name	LC50	LD50 (oral)	LD50 (dermal)
Tetrasodium EDTA	> 1-5 mg/L (rat) (4-hour exposure)	1780 mg/kg (rat)	
Sodium Metasilicate		1153 mg/kg (rat)	
Sodium hydroxide		500 mg/kg (rabbit)	1350 mg/kg (rabbit)
Alcohols, C9-11, ethoxylated, liquids		1378 mg/kg (rat)	> 2000 mg/kg (rabbit)
Alkyl Dimethylamine Oxide		2700 mg/kg (rat)	
Potassium hydroxide		365 mg/kg (rat)	> 1260 mg/kg (rabbit)

Skin Corrosion/Irritation

Human experience shows moderate or severe irritation.

Serious Eye Damage/Irritation

Human experience shows serious eye irritation. May cause reddening and swelling of tissues around the eyes.

STOT (Specific Target Organ Toxicity) - Single Exposure

Inhalation

Can cause nose, throat and respiratory tract irritation, coughing and headache.

Ingestion

Symptoms may include nausea, vomiting, stomach cramps and diarrhea.

Aspiration Hazard

Not known to be an aspiration hazard.

STOT (Specific Target Organ Toxicity) - Repeated Exposure

Symptoms may include dry, red, cracked skin (dermatitis).

Respiratory and/or Skin Sensitization

No information was located.

Carcinogenicity

Contains 2-butoxyethanol. (2-butoxyethanol) IARC: Group 3 – Not classifiable as to its carcinogenicity to humans. ACGIH®: A3 – Confirmed animal carcinogen.

Reproductive Toxicity

Development of Offspring

No indication from ingredients.

Sexual Function and Fertility

No indication from ingredients.

Effects on or via Lactation

No indication from ingredients.

Germ Cell Mutagenicity

No information was located.

Interactive Effects

No information was located.

SECTION 12. ECOLOGICAL INFORMATION

All components of this product are biodegradable by Regulation (EC) No 648/2004.

Toxicity

Acute Aquatic Toxicity

Chemical Name	LC50 Fish	EC50 Crustacea	ErC50 Aquatic Plants	ErC50 Algae
Tetrasodium EDTA	34-62 mg/L (Lepomis macrochirus (bluegill); 96-hour; static)	113 mg/L (Daphnia magna (water flea); 48-hour; static)		
Sodium Metasilicate	210 mg/L (96-hour)	216 mg/L (96-hour)		
Sodium hydroxide	45.4 mg/L (Oncorhynchus mykiss (rainbow trout); 96-hour; static)	100 mg/L (Daphnia magna (water flea); 48-hour)		
Alcohols, C9-11, ethoxylated, liquids	11 mg/L (Pimephales promelas (fathead minnow); 96-hour; fresh water)	5.3 mg/L (Daphnia magna (water flea); 48-hour)		
Potassium hydroxide	80 mg/L (96-hour)	56 mg/L (48-hour)		

Chronic Aquatic Toxicity

Chemical Name	NOEC Fish	EC50 Fish	NOEC Crustacea	EC50 Crustacea
---------------	-----------	-----------	----------------	----------------

Product Identifier: PL-12

SDS No.: Ver. 2 (July 4, 2017)

Date of Preparation: June 01, 2015

Page 05 of 07

Alcohols, C9-11, ethoxylated, liquids	1.5 mg/L			
---------------------------------------	----------	--	--	--

Persistence and Degradability

(Tetrasodium EDTA) By using samples from a river, a ditch and a lake as inocula in the closed bottle test, a biodegradation between 60 and 83% was obtained after 49 days at pH 6.5, whereas between 53 and 72% were obtained after 28 days at pH 8.0.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal Methods

Review federal, state/provincial, and local government requirements prior to disposal.

SECTION 14. TRANSPORT INFORMATION

Regulation	UN No.	Proper Shipping Name	Transport Hazard Class(es)	Packing Group
US DOT	3266	CORROSIVE LIQUID, Basic, Inorganic (Sodium Metasilicate, Sodium Hydroxide)	Class 8	III
Canadian TDG	3266	CORROSIVE LIQUID, Basic, Inorganic (Sodium Metasilicate, Sodium Hydroxide)	Class 8	III

Special Precautions for User Not applicable

Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations

Canada

Domestic Substances List (DSL) / Non-Domestic Substances List (NDSL)

All ingredients are listed on the DSL/NDSL.

USA

Toxic Substances Control Act (TSCA) Section 8(b)

All ingredients are commercially available and presumed to be listed by manufacturer.

Additional USA Regulatory Lists

California Proposition 65: No listed substances are known to be present.

New Jersey Right To Know: Sodium Hydroxide (CAS: 1310-73-2); Potassium hydroxide (CAS: 1310-58-3); 2-butoxyethanol (CAS: 111-76-2).

SARA Title III - Section 313: 2-butoxyethanol (CAS: 111-76-2).

SECTION 16. OTHER INFORMATION

NFPA Rating Health - 2 Flammability - 0 Instability - 0

SDS Prepared By Technical Group

Date of Preparation June 01, 2015

Revision Indicators The following SDS content was changed on July 04, 2017:
 SECTION 1. IDENTIFICATION; Other Means of Identification.
 SECTION 2. HAZARDS IDENTIFICATION; GHS Classification; GHS Label Elements.
 SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS; Ingredient Information.
 SECTION 4. FIRST-AID MEASURES; Ingestion.
 SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION; Control Parameters; Respiratory Protection.
 SECTION 11. TOXICOLOGICAL INFORMATION; LC50/LD50 values; Inhalation; Ingestion; Carcinogenicity.
 SECTION 12. ECOLOGICAL INFORMATION; Acute Aquatic Toxicity; Chronic Aquatic Toxicity.

Product Identifier: PL-12

SDS No.: Ver. 2 (July 4, 2017)

Date of Preparation: June 01, 2015

SECTION 15. REGULATORY INFORMATION; Toxic Substances Control Act (TSCA) Section 8(b).

Disclaimer

The information contained here in has been compiled from sources believed to be reliable and is accurate to the best of our knowledge at this date. It is provided without warranty, expressed or implied, as to the results of use of this information or to the product to which it relates. Recipient assumes all responsibility for the use of this information and the use, storage, or disposal of the product, including any resultant personal injury or property damage.